



10-18-04

Z. P. W.

10191/2259

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of : Christoph HALUSCHKA et al.
Serial No. : 10/070,113
Filing Date : July 10, 2002
For : SHEATHED-ELEMENT GLOW PLUG HAVING AN
IONIC CURRENT SENSOR AND METHOD FOR
OPERATING SUCH A SHEATHED-ELEMENT
GLOW PLUG

Examiner : Vinod Patel
Art Unit : 3742
Confirmation No. : 9123

Mail Stop Petitions
Commissioner for Patents
P. O. Box 1450
Alexandria, VA. 22313-1450

**PETITION TO WITHDRAW HOLDING OF ABANDONMENT
DUE TO PATENT OFFICE ERROR UNDER 37 C.F.R. 1.181(a)**

SIR:

Applicant hereby petitions to have the Notice of Abandonment, dated September 30, 2004, received in the above-identified patent application withdrawn due to an error on the part of the Patent Office. The Notice of Abandonment indicates that Applicant failed to timely file a Response to Notice of Drawing Inconsistency With Specification mailed on June 24, 2004.

In response to the Notice of Drawing Inconsistency mailed June 24, 2004, Applicants timely faxed a Response on July 9, 2004. Enclosed herewith are copies of the Response and Fax Transmission Sheet dated July 9, 2004.

Subsequently thereafter, applicants timely filed the Issue Fee Transmittal (with appropriate payment) on August 23, 2004. A copy of the Notice with the Certificate of Mailing dated August 23, 2004 is also enclosed.

As this petition was necessitated by Patent Office error, no fee is believed to be required. However, if any fee is required, the Commissioner is authorized to charge Deposit Account No. 11-0600. A copy of this petition is enclosed for that purpose.


EL 803886555US

Respectfully submitted,

Dated:

10/15/04

By:

By  Ks No 35952
Richard L. Mayer, Reg No. 22,490

KENYON & KENYON

One Broadway

New York, New York 10004

Telephone: (212) 425-7200

Facsimile: (212) 425-5288

Customer No. 26646

PART B - FEE(S) TRANSMITTAL

Complete and send this form, together with applicable fee(s), to: **Mail**

Mail Stop ISSUE FEE
Commissioner for Patents
P.O. Box 1450
Alexandria, Virginia 22313-1450
or Fax (703) 746-4000

INSTRUCTIONS: This form should be used for transmitting the ISSUE FEE and PUBLICATION FEE (if required). Blocks 1 through 4 should be completed where appropriate. All further correspondence including the Patent, advance orders and notification of maintenance fees will be mailed to the current correspondence address as indicated unless corrected below or directed otherwise in Block 1, by (a) specifying a new correspondence address; and/or (b) indicating a separate "FEE ADDRESS" for maintenance fee notifications.

CURRENT CORRESPONDENCE ADDRESS (Note: Legibly mark-up with any corrections or use Block 1)

26646 7590 05/26/2004

KENYON & KENYON
 ONE BROADWAY
 NEW YORK, NY 10004



Note: A certificate of mailing can only be used for domestic mailings of the Fee(s) Transmittal. This certificate cannot be used for any other accompanying papers. Each additional paper, such as an assignment or formal drawing, must have its own certificate of mailing or transmission.

Certificate of Mailing or Transmission

I hereby certify that this Fee(s) Transmittal is being deposited with the United States Postal Service with sufficient postage for first class mail in an envelope addressed to the Mail Stop ISSUE FEE address above, or being facsimile transmitted to the USPTO, on the date indicated below.

Eleanor A. Posa	(Depositor's name)
Eleanor A. Posa	(Signature)
Aug. 23, 2004	(Date)

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/070,113	07/10/2002	Christoph Hruschka	10191/2259	9123

TITLE OF INVENTION: SHEATH TYPE GLOWPLUG WITH ION CURRENT SENSOR AND METHOD FOR OPERATION THEREOF

APPLN. TYPE	SMALL ENTITY	ISSUE FEE	PUBLICATION FEE	TOTAL FEE(S) DUE	DATE DUE
nonprovisional	NO	\$1330	\$300	\$1630	08/26/2004

EXAMINER	ART UNIT	CLASS-SUBCLASS
PATEL, VINOD D	3742	219-270000

1. Change of correspondence address or indication of "Fee Address" (37 CFR 1.363).

- ☐ Change of correspondence address (or Change of Correspondence Address form PTO/SB/122) attached.
- ☐ "Fee Address" indication (or "Fee Address" Indication form PTO/SB/47; Rev 03-02 or more recent) attached. Use of a Customer Number is required.

2. For printing on the patent front page, list (1) the names of up to 3 registered patent attorneys or agents OR, alternatively, (2) the name of a single firm (having as a member a registered attorney or agent) and the names of up to 2 registered patent attorneys or agents. If no name is listed, no name will be printed.

1 Kenyon & Kenyon

2

3

3. ASSIGNEE NAME AND RESIDENCE DATA TO BE PRINTED ON THE PATENT (print or type)

PLEASE NOTE: Unless an assignee is identified below, no assignee data will appear on the patent. Inclusion of assignee data is only appropriate when an assignment has been previously submitted to the USPTO or is being submitted under separate cover. Completion of this form is NOT a substitute for filing an assignment.

(A) NAME OF ASSIGNEE

Robert Bosch GmbH

(B) RESIDENCE: (CITY and STATE OR COUNTRY)

Stuttgart, Federal Rep. of Germany

Please check the appropriate assignee category or categories (will not be printed on the patent); ☐ individual ☒ corporation or other private group entity ☐ government

4a. The following fee(s) are enclosed:

- ☒ Issue Fee
- ☒ Publication Fee
- ☐ Advance Order - # of Copies _____

4b. Payment of Fee(s):

- ☐ A check in the amount of the fee(s) is enclosed.
- ☐ Payment by credit card. Form PTO-2038 is attached.
- ☒ The Director is hereby authorized by charge the required fee(s), or credit any overpayment, to Deposit Account Number 11-0600 (enclose an extra copy of this form).

Director for Patents is requested to apply the Issue Fee and Publication Fee (if any) or to re-apply any previously paid issue fee to the application identified above.

(Authorized Signature)

Richard L. Mayer, Reg. No. 22,490

NOTE: The Issue Fee and Publication Fee (if required) will not be accepted from anyone other than the applicant, a registered attorney or agent, or the assignee or other party in interest as shown by the records of the United States Patent and Trademark Office.

This collection of information is required by 37 CFR 1.311. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 12 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, Alexandria, Virginia 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, Alexandria, Virginia 22313-1450.

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

TRANSMIT THIS FORM WITH FEE(S)

*** TX REPORT ***

TRANSMISSION OK

TX/RX NO 0840
CONNECTION TEL 91#2259#17035786812#
SUBADDRESS
CONNECTION ID USPTO
ST. TIME 07/09 16:45
USAGE T 00'38
PGS. SENT 3
RESULT OK



KK KENYON & KENYON
Intellectual Property Law

One Broadway
New York, NY 10004-1050
212.425.7200
Fax 212.425.5288

Fax TransmissionFrom: **Jong H. Lee**Date: **July 9, 2004**Direct Dial: **212.908.6472**Fax: **212.425.5288**Client/Matter: **10191/2259**Total number of pages: **3**
(including cover)*Please deliver to:*

Name	Company	Fax	Phone
Ms. Nadine Clark	Office of Patent Publication/Publishing Division, USPTO	1-703-578-6812	

Comments:



[10191/2259]

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Inventor(s) : Christoph HALUSCHKA et al.
Serial No. : 10/070,113
Filed : July 10, 2002
For : SHEATHED-ELEMENT GLOW PLUG HAVING AN IONIC
CURRENT SENSOR AND METHOD FOR OPERATING
SUCH A SHEATHED-ELEMENT GLOW PLUG

Examiner : Vinod Patel
Art Unit : 3742
Confirmation No. : 9123

Commissioner for Patents
P.O. Box 1450
Alexandria, Virginia 22313-1450

Attention: Ms. Nadine Clark
Office of Patent Publication/
Publishing Division

I hereby certify that this correspondence is being submitted
via facsimile transmission to Ms. Nadine Clark of Office of
Patent Publication/Publishing Division, U.S. Patent &
Trademark Office, facsimile number (703)578-6812, on:

Date: 7/9, 2004


Jong H. Lee (Reg. No. 36,197)

RESPONSE TO NOTICE OF DRAWING INCONSISTENCY WITH SPECIFICATION

This Response is submitted in response to the "Notice of Drawing
Inconsistency with Specification" mailed on June 24, 2004.


In a telephone interview held on July 8, 2004, between the undersigned
attorney and Ms. Nadine Clark of the Office of Patent Publication/Publishing Division, Ms.
Clark confirmed that the drawings and the specification in the above-identified application
are in proper condition, and that no corrections need to be made to the application in
response to the "Notice of Drawing Inconsistency with Specification" mailed on June 24,
2004. This Response is being filed in order to memorialize the telephone interview held

on July 8, 2004, between the undersigned attorney and Ms. Nadine Clark.

Respectfully submitted,

KENYON & KENYON

Dated: 7/9, 2004

By: 
Jong H. Lee
(Reg. No. 36,197)
Tel. No. (212)425-7200

CUSTOMER NO. 26646
PATENT TRADEMARK OFFICE